

JEFFERSON COUNTY HEL LIST

SYMBOL	NAME	EI	HEL OR NHEL
AeC	Arents, clayey, 2 to 12 percent slope	10.8	HEL
AnC2	Allen sandy loam, 5 to 12 percent slopes, eroded	9.5	HEL
AnD2	Allen sandy loam, 12 to 20 percent slopes, eroded	20.5	HEL
AnE	Allen sandy loam, 20 to 40 percent slopes, severely eroded	59.6	HEL
ArD2	Armuchee channery silt loam, 10 to 25 percent slopes eroded	48.5	HEL
ArE3	Armuchee channery silty clay loam, 15 to 45 percent slopes severely eroded	99.3	HEL
ArF2	Armuchee channery silt loam, 25 to 60 percent slopes eroded	182.2	HEL
Be	Beason silt loam, occasionally flooded	1.7	NHEL
BoD	Bouldin cobbly sandy loam, 12 to 25 percent slopes, very stony	18.6	HEL
BoF	Bouldin cobbly sandy loam, 25 to 70 percent slopes, very stony	94.6	HEL
CoB2	Collegedale silt loam, 2 to 5 percent slopes, eroded	4.5	NHEL
CoC2	Collegedale silt loam 5 to 12 percent slopes, eroded	12.5	HEL
CoC3	Collegedale silty clay loam, 5 to 12 percent slopes, severely eroded	12.0	HEL
CtD2	Collegedale-Talbott Rock outcrop complex, 50 to 12 percent slopes, eroded	22.3	HEL
CtE2	Collegedale-Talbott Rock outcrop complex, 20 to 35 percent slopes, eroded	67.7	HEL
DaC2	Dandridge channery silt loam, 5 to 12 percent slopes, eroded	28.7	HEL
DaD2	Dandridge channery silt loam, 12 to 25 percent slopes, eroded	79.2	HEL
DaD3	Dandridge channery silty clay loam, 10 to 25 percent slopes, severely eroded	88.4	HEL
DaE3	Dandridge channery silty clay loam, 25 to 50 percent slopes, severely eroded	266.9	HEL
DaF2	Dandridge channery silt loam, 25 to 70 percent slopes, eroded	402.0	HEL
DcB2	Dewey silt loam, 2 to 5 percent slopes, eroded	3.9	NHEL
DeC2	Dewey silt loam, 5 to 12 percent slopes, eroded	10.8	HEL
DeD2	Dewey silt loam, 12 to 20 percent slopes, eroded	23.4	HEL
DeD3	Dewey silty clay loam, 12 to 20 percent slopes, severely eroded	20.5	HEL
DfD2	Dewey Rock outcrop complex, 5 to 20 percent slopes, eroded	16.9	HEL
Dm	Dumps, mines		
DuB2	Dunmore silt loam, 2 to 5 percent slopes, eroded	3.9	NHEL
DuC2	Dunmore silt loam, 5 to 12 percent slopes, eroded	10.8	HEL
DuC3	Dunmore silty clay loam, 5 to 12 percent slopes, severely eroded	9.4	HEL

SYMBOL	NAME	EI	HEL OR NHEL
DuD2	Dunmore silt loam, 12 to 20 percent slopes, eroded	23.4	HEL
DuD3	Dunmore silty caly loam, 12 to 20 percent slopes, severely eroded	20.5	HEL
DuE2	Dunmore silt loam, 20 to 40 percent slopes, eroded	68.1	HEL
DuE3	Dunmore silty clay loam, 20 to 40 percent slopes, severely eroded	59.6	HEL
DwE3	Dunmore and Fullerton soils, 10 to 30 percent slopes, gullied	36.4	HEL
DxE2	Dunmore and Fullerton soils, karst, 10 to 30 percent slopes, eroded	36.4	HEL
Em	Emory silt loam, rarely flooded	2.1	NHEL
En	Ennis cobbly loam, occasionally flooded	2.0	NHEL
EtB	Etowah silt loam, 2 to 5 percent slopes	4.5	NHEL
EtC	Etowah silt loam, 5 to 12 percent slopes	12.5	HEL
EtD	Etowah silt loam, 12 to 25 percent slopes	34.5	HEL
FaE2	Farragut silt loam, 20 to 40 percent slopes, eroded	33.9	HEL
FuC2	Fullerton gravelly silt loam, 5 to 12 percent slopes, eroded	9.5	HEL
FuD2	Fullerton gravelly silt loam, 12 to 25 percent slopes, eroded	37.2	HEL
FuE2	Fullerton gravelly silt loam, 25 to 45 percent slopes, eroded	77.9	HEL
GpD2	Gilpin channery silt loam, 12 to 25 percent slopes, eroded	37.2	HEL
GpF	Gilpin channery silt loam, 25 to 70 percent slopes	189.2	HEL
GuE3	Gullied land Dandridge complex, 15 to 50 percent slopes, severely eroded	207.9	HEL
Ln	Lindside silt loam, occasionally flooded	1.9	NHEL
MnC	Minvale gravelly silt loam, 5 to 12 percent slopes	12.0	HEL
MoC	Montevallo channery silt loam, 2 to 10 percent slopes	33.9	HEL
MoD	Montevallo channery silt loam, 10 to 20 percent slopes	113.1	HEL
MpE	Montevallo Armuchee complex, 15 to 50 percent slopes, gullied	342.6	NHEL
MuB	Muse silt loam, 2 to 5 percent slopes,	7.4	HEL
MuC	Muse silt loam, 5 to 12 percent slopes	20.8	HEL
MwE	Muskingum silt loam, 25 to 50 percent slopes	193.6	
Ne	Newark silt loam, frequently flooded	2.0	NHEL
NkB2	Nolichucky loam, 2 to 5 percent slopes, eroded	3.4	NHEL
NkC2	Nolichucky loam, 5 to 12 percent slopes, eroded	9.9	NHEL

SYMBOL	NAME	EI	HEL OR NHEL
NkD2	Nolichucky loam, 12 to 20 percent slopes eroded	20.5	HEL
NmD2	Nolichucky gravelly loam, 10 to 20 percent slopes, eroded	12.1	HEL
No	Nolin silt loam, occasionally flooded	2.5	NHEL
Pu	Purdy silt loam	3.3	NHEL
RaD	Ramsey Rock outcrop complex, 12 to 25 percent slopes	93.1	HEL
RaF	Ramsey Rock outcrop complex, 25 to 70 percent slopes	472.9	HEL
SeB2	Sequoia silt loam, 2 to 5 percent slopes, eroded	7.4	NHEL
SeC2	Sequoia silt loam, 5 to 12 percent slopes, eroded	20.8	HEL
SeC3	Sequoia silty clay loam, 5 to 12 percent slopes, severely eroded	18.0	HEL
SeD2	Sequoia silt loam, 12 to 20 percent slopes, eroded	45.2	NHEL
St	Staser fine sandy loam, overwash, rarely flooded	1.5	NHEL
SwB	Swafford silt loam, 1 to 4 percent slopes, rarely flooded	3.2	
TaE2	Talbot Rock outcrop complex, karst, 10 to 35 percent slopes, eroded	146.8	HEL
TsB	Tasso silt loam, 2 to 5 percent slopes	4.5	NHEL
WaC2	Waynesboro loam, 5 to 12 percent slopes, eroded	9.4	HEL
WaD2	Waynesboro loam, 12 to 20 percent slopes, eroded	20.5	HEL
Wb	Whitesburg silt loam, occasionally flooded	2.7	NHEL